



TurboJet® Nozzles

The Akron® adjustable gallonage TurboJet® nozzle is unmatched in today's fire service for its flexibility and flow control. The TurboJet® is an adjustable gallonage nozzle, where flow remains the same in all patterns at each GPM (LPM) setting. Use the TurboJet® one time and it is easy to see why it's the "nozzle of choice" by fire fighters worldwide.

- ▶ Larger, more legible labels
- ▶ Simple to operate (1/4 turn from straight stream to fog, raised lug marks straight stream for limited visibility operations)
- ▶ Easy to service & repair
- ▶ Meets new European Standard
- ▶ 1 1/2" mid-range, wide range and 2 1/2" TurboJets meet Insurance Services Office (ISO) Requirements
- ▶ 100 psi (7 bar) Rated Pressure Standard - 75 psi (5 bar) Optional with Quality Flow Performance as Low as 50 psi (3.45 bar)



Cat#	Description	GPM	Ship. Wt.	Price
T363	1" TurboJet® Nozzle with Pistol Grip	13-25-40-60	3 lbs.	\$694.95
T364	1" TurboJet® Nozzle	13-25-40-60	3 lbs.	\$610.95
T365	1 1/2" TurboJet® Nozzle	30-60-90-125	4 lbs.	\$651.95
AS154	1 1/2" TurboJet® Breakapart Nozzle	30-60-90-125	3 lbs.	\$710.95
T366	1 1/2" TurboJet® Nozzle with Pistol Grip	30-60-90-125	4 lbs.	\$777.95
W146	1 1/2" Mid-Range Nozzle	95-125-150-200	6 lbs.	\$841.95
T367	2 1/2" TurboJet® Nozzle Direct Connect	125-150-200-250	6 lbs.	\$862.95
AS155	1 1/2" Wide Range Nozzle	30-95-125-150-200	6 lbs.	\$688.95

SaberJet™ Nozzles

The first truly multi-purpose nozzle

The SaberJet™ Nozzles are the newest in firefighting nozzle technology. With a choice of the new Single Shutoff SaberJet™ or the original Dual Shutoff SaberJet™, they are both the first truly multi-purpose nozzle with the penetration of a solid bore tip and the advantages of a fog pattern. The new Single Shutoff SaberJet™ has a unique three position handle and ball to give you solid bore, fog, or close positions. The nozzle is capable of operating efficiently at pressures as low as 50 psi for reduced firefighter fatigue, or up to 100 psi for maximum flow. This versatile nozzle is well-suited for multiple applications. If you are looking for a truly multi-purpose nozzle, look no further...SaberJet™ is your answer. *Ship. wt. 3 lbs.*

10-year warranty

More sizes available



SaberJet™ Single Shutoff Nozzle

- ▶ 3/4", 7/8", 15/16", or 1" tips
- ▶ 135 gpm @ 100 psi fog flow
- ▶ Durable, lightweight Pyrolite® construction
- ▶ Multiple applications: interior, exterior, low pressure, CAFS, foam, cooling, etc.
- ▶ NFPA 1964 compliant
- ▶ 10-year warranty

SaberJet™ Dual Shutoff Nozzle

- ▶ The first truly multi-purpose nozzle
- ▶ Sizes available:
 - 3/8", 1/2" and 5/8" orifices with 1" inlet
 - Fog Flow 60 or 95 gpm @ 100 psi
 - 3/4", 7/8" and 1" orifices with 1 1/2" or 2 1/2" inlet
 - Fog Flow 135 at 100 psi

Solid Bore



Fog



Combination Streams



Specify tip size

AW095	1" SaberJet™ (DSO) Nozzle with Pistol Grip	\$778.95
AW096	1" SaberJet™ (DSO) Nozzle	\$736.95
AS246	1 1/2" SaberJet™ (DSO) Nozzle with Pistol Grip	\$871.95
AS247	1 1/2" SaberJet™ (DSO) Nozzle	\$825.95
AS248	2 1/2" SaberJet™ (DSO) Nozzle with Pistol Grip	\$947.95
AS249	2 1/2" SaberJet™ (DSO) Nozzle	\$897.95
BA143	1 1/2" SaberJet™ (SSO) Nozzle	\$714.95
BA144	1 1/2" SaberJet™ (SSO) Nozzle with Pistol Grip	\$778.95
BA145	2 1/2" SaberJet™ (SSO) Nozzle	\$831.95
BA163	2 1/2" SaberJet™ (SSO) Nozzle with Pistol Grip	\$846.95

*Combination streams apply only to SaberJet™ Dual Shutoff Nozzles



Assault™ Nozzles

A Revolutionary Alternative to Automatic Nozzles

Akron® Assault™ Nozzles combine the quality stream performance at a variety of pressures with the simplicity of a fixed orifice. Durable and simple design make the Assault™ an unbeatable value. Meets NFPA 1964. Ship. wt. 5 lbs.

- ▶ Enhanced flow characteristics on 2 1/2" Assaults (deeper throat design)
- ▶ Larger, more legible labels
- ▶ Easy to operate (1/4 turn from straight stream to fog, raised lug marks straight stream for limited visibility operations)
- ▶ Better stream performance at pressures as low as 50 psi
- ▶ Low maintenance due to simple, durable design
- ▶ Meets new European Standard
- ▶ Affordably priced
- ▶ Simplified nozzle training
- ▶ No recalibration required
- ▶ Easy to service & repair

Nozzle Comparison	Assault™ Automatics	
Control of flow by pump operator	YES	YES
Quality stream performance over a wide range of flows	YES	YES
Simple nozzle operation	YES	YES
No recalibration necessary	YES	NO
Low Maintenance	YES	NO
NFPA Compliance	YES	NO

Available GPM/PSI			
95 @ 75	95 @ 100		
125 @ 75	125 @ 100		
150 @ 75	150 @ 100		
175 @ 75	175 @ 100		
	200 @ 100		



Specify GPM/PSI

AJ500	Assault™ Nozzle, 1 1/2"	\$440.95
AJ503	Assault™ Nozzle, 1 1/2" with Pistol Grip	\$514.95
AJ501	Assault™ Breakapart, 1 1/2" with Pistol Grip and Twist Shut-Off	\$630.95
AJ502	Assault™ Breakapart, 1 1/2" with Twist Shut-Off	\$630.95



Saber™ Shutoffs

Lightweight Pyrolite® finished ball shutoff with an integral straight bore tip. Shutoff and tip locked with ball bearings. Full 1 1/8" waterway. Ship. wt. 5 lbs.



AZ344	1 1/2" Saber™ Shutoff	\$297.95
AZ345	1 1/2" Saber™ Shutoff with Pistol Grip	\$345.95
AZ346	2 1/2" Saber™ Shutoff	\$392.95
AZ347	2 1/2" Saber™ Shutoff with Pistol Grip	\$429.95

Pyrolite Shutoffs

Tough, lightweight ball shutoffs with a full-time restricted swivel base ensures the handle can be positioned for easier operation. Ship. wt. 5 lbs.



AW125	Shutoff 1" Swivel Inlet x 1" Male, 1" Waterway	\$318.95
AW126	Shutoff w/Pistol Grip 1" Swivel Inlet x 1" Male, 1" Waterway	\$298.95
AW127	Shutoff 2 1/2" Swivel Inlet x 1 1/2" Male, 1 3/8" Waterway	\$438.95
AW128	Shutoff w/Pistol Grip 2 1/2" Swivel Inlet x 1 1/2" Male, 1 3/8" Waterway	\$482.95
AW129	Shutoff 1 1/2" Swivel Inlet x 1 1/2" Male, 1 3/8" Waterway w/Pistol Grip	\$387.95
AW130	Shutoff 1 1/2" Swivel Inlet x 1 1/2" Male, 1 3/8" Waterway	\$352.95
AW131	Shutoff 2 1/2" Swivel Inlet x 2 1/2" Male, 2" Waterway	\$735.95

Color Code Your Nozzles Colored Handles

Add color to your nozzles. A rainbow of colors are available for handles and pistol grips on most Akron nozzles. Specify color when ordering, or order separately for easy retrofitting.



Specify color: black, gray, white, yellow, red, green, orange, blue
Specify make and model number of nozzle
BH198 Colored Handle \$25.95

Pistol Grips



Specify color: black, gray, white, yellow, red, green, orange, blue
AZ579 Pistol Grip \$20.95

ZT ZeroTorque™ Nozzle Grips

The new ZeroTorque™ (ZT) is the first model specifically designed with ergonomics, handling, control and reduced firefighter fatigue in mind. The ZT naturally keeps the nozzle out in front of the firefighter to allow for easier operation and provide better control, just as firefighters are trained to do. In addition, the pistol grip and inlet swivel are positioned to eliminate the reaction force torque found in all conventional pistol grip designs. Conventional pistol grip nozzles are held at a position 3½" to 4" below the center line of discharge, creating a natural torque which must be resisted by the firefighter. The ZT is positioned to eliminate the torque, leaving only the straight reaction force for the firefighter to resist.



- ▶ For superior control, nozzle is positioned to keep out in front of fire fighter
- ▶ Shut-off swivels to allow positioning of the handle to wherever it is most comfortable
- ▶ Pistol grip and inlet are positioned to eliminate reaction torque, for better handling and reduced fatigue
- ▶ Any non-pistol grip Turbojet®, SaberJet™, or Assault™ nozzle can be fit with a ZT nozzle grip
- ▶ New pistol grip has added cushion for better feel and reduced muscle fatigue
- ▶ New handle is ergonomically designed for improved handling, better storage, and increased strength

DON'T MISS

More nozzles in Foam & Access. (p20- 28)



ZT ZeroTorque™ must be ordered with nozzle (See pages 48-49)

BC068	ZT ZeroTorque™ for Turbojet® Nozzles	\$109.95
BC069	ZT ZeroTorque™ for SaberJet™ Nozzles	\$109.95
BC070	ZT ZeroTorque™ for Assault™ Nozzles	\$109.95
BC133	ZT Conversion Kit for Existing Nozzles	\$185.95

1" Self-Educting Forestry Nozzle

- ▶ Heavy Duty Pyrolite Construction
- ▶ Self-Educting for ease of use with agent application
- ▶ Dual shutoff for better performance: Bail shutoff to stop the water flow, twist shutoff to allow back-flush
- ▶ Eductor back-flush for easy cleaning of agents out of the eductor
- ▶ Check valve in eductor to prevents water from entering the agent
- ▶ Static mixer in throat for better gel mixing for better performance
- ▶ Variable pattern control for straight stream to fog pattern
- ▶ 15 gpm at 100 psi: Ideal setting for gel applications



BG536 1" Self-Educting Forestry Nozzle \$593.95



Forestry Nozzle

Akron Brass has introduced their new 1" forestry nozzle. The nozzle is a dual flow, adjustable pattern nozzle designed with the lower flow rates and rugged simplicity needed for wildland/forestry applications. Its simple twist operation takes you through the following settings: off, low flow straight stream, low flow narrow fog, high flow straight stream and high flow fog. *Ship. wt. 1 lb.*

- ▶ Dual flow - 10 and 30 gpm
- ▶ 1" rigid female inlet
- ▶ Durable, lightweight Pyrolite
- ▶ Small, compact design - 4" length



BB097 Forestry Nozzle \$95.95

Aussie Bush Nozzle

The new 1" Aussie Bush Nozzle is designed to easily change flows plus shut off the nozzle all from the same control ring. It has three flow settings to give you the flexibility to dial the flow setting you need. *Ship. wt. 2 lbs.*

- ▶ Flow settings: MOP (8 gpm) - 15 - 30 gpm at 100 psi
- ▶ Quarter turn, quick action pattern change
- ▶ Durable, lightweight Pyrolite
- ▶ 10-year warranty
- ▶ NFPA compliant



BB098 Aussie Bush Nozzle \$511.95



Phantom Nozzles



- ▶ Constant gallonage
- ▶ Combination fog and straight stream
- ▶ Five flow settings: 30, 95, 125, 150 and 200 gpm at 75 psi
- ▶ 1.5" mid-range low pressure capability
- ▶ Exceptional stream quality as low as 50 psi
- ▶ 1.5" full-time swivel base for use with 1.75" or 2" hose
- ▶ Heavy-duty protective urethane bumper
- ▶ Durable, lightweight Elk-O-Lite® construction
- ▶ Replaceable spinning teeth for wide, protective fog
- ▶ Easy-to-see and read labeling
- ▶ Rugged wrought aluminum gallonage ring
- ▶ Pistol grip is made of tough cast aluminum
- ▶ Double Drive, Double Stop shutoff with unbreakable aluminum bronze handle
- ▶ Meets NFPA 1964

BB027	Phantom Nozzle	\$595.95
BB028	Phantom Nozzle w/Pistol Grip	\$632.95
BB029	Phantom Tip	\$443.95
BB030	Phantom Tip w/Twist Shutoff	\$443.95

Chief Constant Flow Nozzles

- ▶ Elk-O-Lite® construction
- ▶ Heavy-duty, protective urethane bumper
- ▶ Adjustable Teflon/Neoprene valve seat
- ▶ Durable aluminum/bronze shutoff handle
- ▶ Simple, flow-efficient, constant gallonage operation
- ▶ Rugged, lightweight
- ▶ Superior straight stream for effective penetration
- ▶ Excellent for AFFF or Class A foam application
- ▶ Comfortable, no-slip pistol grip
- ▶ Spinning teeth for wide protective fog
- ▶ Meets NFPA 1964



		Hose	Thread	GPM	
W137	Chief Nozzle	1"	1"	15, 30, 45, 60	\$530.95
W138	Chief w/Pistol Grip	1"	1"	15, 30, 45, 60	\$576.95
U382	Chief Nozzle	1½"	1½"	60, 95, 125, 150	\$533.95
U383	Chief w/Pistol Grip	1½"	1½"	60, 95, 125, 150	\$673.95
W139	Chief Nozzle	1¾"-2½"	1½"	175, 250, 325	\$646.95
W140	Chief w/Pistol Grip	1¾"-2½"	1½"	175, 250, 325	\$667.95
W141	Chief Nozzle	2½"	2½"	175, 250, 325	\$734.95
W142	Chief w/Playpipe*	2½"	2½"	175, 250, 325	\$1,245.95
AW099	Chief Nozzle Tip	1½"	1½"	60, 95, 125, 150	\$459.95
AW100	Chief Nozzle Tip	1¾"-2½"	1½"	175, 250, 325	\$464.95
AW101	Chief Nozzle Tip	1¾"-2½"	2½"	175, 250, 325	\$629.95

*Playpipe with shut-off

Select-O-Matic® Automatic Nozzles

The Select-O-Matic® automatically and instantly adjusts to fluctuating water flow, assuring efficient and effective firefighting streams. Nozzles have replaceable spinning teeth and a shutoff feature that utilizes a hydraulically balanced celon ball with an adjustable neoprene seat. This combination makes it almost impossible for the nozzle to slam shut accidentally while remaining easy to open and close, even at high pressures. All nozzles come complete with horse shoe handle shutoff. Ship. wt. 4 lbs.



		Hose	Thread	GPM	
R847	Booster Nozzle	1"	1"	10-75	\$754.95
R848	Nozzle	1½"	1½"	60-125	\$761.95
U406	Nozzle w/Pistol Grip	1½"-1¾"	1½"	60-200	\$878.95
AZ348	Low Pressure 75 psi	1½"-1¾"	1½"	60-200	\$866.95
R850	Nozzle, Direct Connect	2½"	2½"	75-325	\$1,060.95
R851	Nozzle w/Pistol Grip	1½"	1½"	60-125	\$851.95
R852	Nozzle w/Pistol Grip	1"	1"	10-75	\$802.95
R853	Nozzle w/Playpipe	2½"	2½"	75-325	\$1,470.95
R854	Nozzle w/Playpipe*	2½"	2½"	75-325	\$1,677.95

*Break-apart design

ULTIMATIC 125 Nozzles

Compact Size and Reduced Weight

- ▶ Fully automatic 100 psi nozzle
- ▶ Flow range of 10-125 gpm
- ▶ Includes built-in pistol grip
- ▶ Six-position detent flow control
- ▶ Exclusive TFT slide valve
- ▶ "Gasket Grabber" inlet screen
- ▶ Molded rubber bumper w/"power fog" teeth
- ▶ Hard-coated for resistance to corrosion and wear
- ▶ Flush without shutting down

		Hose	Thread	GPM	
Z315	Nozzle with Pistol Grip	1 1/2"	1 1/2"	10-125	\$874.95
Z313	Nozzle without Grip	1 1/2"	1 1/2"	10-125	\$824.95



Use on any size hose

TFT Handline Low-Pressure Nozzles

The Handline series of automatic, low-pressure nozzles is ideal for 1 3/4", 2", 2 1/2" and 3" hose lines. *Ship. wt. 5 lbs.*

		Hose	Thread	GPM	
Z318	Nozzle with Grip	1 1/2" - 2 1/2"	1 1/2"	95-300	\$1,134.95
AC704	Nozzle without Grip	1 1/2" - 2 1/2"	1 1/2"	95-300	\$1,043.95

ThunderFog Selectable Gallonage Nozzles

ThunderFogs are ideal for any 1 1/2", 1 3/4", 2", or 2 1/2" hose line. **AC705** and **AC706** have twist type shutoff, **AC707** and **AC708** have ball type shutoff. *Ship. wt. 3 lbs.*

- ▶ Available in tip-only configuration for break-and-extend operations or with stainless steel ball shutoff
- ▶ Available with stainless steel spinning teeth standard or optional fixed teeth
- ▶ Exclusive TFT stainless steel ball shutoff and "quick change" rear valve seat
- ▶ Accepts both low and multi-expansion foam attachments

		Hose	Thread	GPM	
AC705	Nozzle, Twist without Grip	1 1/2" - 2 1/2"	1 1/2"	30-200	\$594.95
AC706	Nozzle, Twist without Grip	1 1/2" - 2 1/2"	1 1/2"	95-250	\$594.95
AC707	Nozzle with Pistol Grip	1 1/2" - 2 1/2"	1 1/2"	95-250	\$899.95
AC708	Nozzle with Ball-Shutoff	1 1/2" - 2 1/2"	1 1/2"	95-250	\$899.95
AS518	Nozzle with Playpipe	2 1/2"	2 1/2"	95-250	\$1,157.95

CAFS-Force Nozzles

Pressure for foam and water



- ▶ CAFS - Force nozzle delivers both foam AND water
- ▶ The ONLY automatic nozzle combination specifically designed for Compressed Air Foam (CAFS) and water applications
- ▶ Engineered specifically for optimal foam stream performance, as well as low pressure nozzle operations for water use alone



BD155	CAFS-Force Nozzle Combination	\$949.95
BD156	CAFS-Force Tip	\$784.95

Mid-Force Nozzles

Automatic dual pressure



- ▶ Durable polymer handle developed for the harshest fire ground operations while offering reduced maintenance costs
- ▶ Utilized pressure control for easy maintenance or upgrades
- ▶ Color-coded shut-off handle, grips, and Scotchlite™ labels offer easy identification and maximum visibility
- ▶ Unique gasket grabber - unparalleled protection from debris that can affect stream quality
- ▶ Famous slide valve design - total firefighter flow control and outstanding stream quality, even with the nozzle valve gated and the flow reduced
- ▶ Unique "full-filled" fog pattern - quick straight stream to fog pattern for immediate response & maximum protection
- ▶ NFPA #1964 compliant (2003) edition
- ▶ *Ship. wt. 12 lbs.*

AS156	Mid Force Nozzle 1 1/2"	\$1,125.95
AS157	Mid Force Nozzle 1 1/2" w/Pistol Grip	\$1,125.95



AZ350



AZ352

Low Pressure Nozzles

There are two ways to reduce reaction force on any handline nozzle; flow less water or lower the nozzle pressure. By reducing the flow, your firefighting capabilities are also diminished (water still extinguishes the fire) however, by reducing the nozzle pressure to apply that flow, you merely lessen the reaction force of the fire stream and that equates to less "wear-n-tear" on the nozzle team.

- ▶ Durable, lightweight Elk-O-Lite® construction
- ▶ Combination fog and straight stream
- ▶ Constant/single gallonage
- ▶ Flow efficient - fully machined waterway
- ▶ Rugged aluminum/bronze shutoff handle with double stops
- ▶ Heavy-duty, protective urethane bumper
- ▶ Flush feature
- ▶ Adjustable neoprene seat with acetal ball
- ▶ Replaceable, spinning teeth for wide, protective fog
- ▶ Hydraulically balanced ball shutoff
- ▶ Gallonage stamped on stem head

AZ349	1½" NST Chief Nozzle	\$623.95
AZ350	1½" NST Chief Nozzle w/Pistol Grip	\$668.95
AZ351	2½" NST Chief Nozzle	\$718.95
AZ352	1¾" Break-A-Part Nozzle	\$1,114.95
AZ353	2½" High Rise Nozzle (15/16 Tip)	\$1,049.95

Solid Strike® Nozzle

NEW



Go with the flow - the new solid stream Solid Strike® nozzle. Unsurpassed flow performance with flexibility that allows the user to vary gpm or reach without shutting down to change tip size. The result is an airless stream of water so tight you can virtually see through it. Operates like any traditional smooth bore tip on a shut-off except that the user has the ability to vary the effective tip size under flow. Choose greater reach, penetration and water - instantly. How it works: unlike a traditional smooth bore tip, the Solid Strike® utilizes the hydraulic forces of the water flow itself to converge and project a perfect solid stream of water at near identical exit velocity - maximizing the stable range of the stream.

Construction:

- ▶ Free swivel inlet
- ▶ Hard anodized, Teflon® impregnated aluminum/bronze shut-off handle
- ▶ Derlin® adjustable hydrofoil

Rating:

- ▶ Maximum operating pressure 200 psi
- ▶ Settings:
 - ¾" - 118 gpm @ 50 psi
 - ⅞" - 159 gpm @ 50 psi
 - 1" - 209 gpm @ 50 psi



BH001	1½" Solid Strike® Nozzle	\$659.95
-------	--------------------------	----------

Chief Constant Flow Nozzles with Glow Bumper



Gallonage stamped on stem head



- ▶ Elk-O-Lite® construction
- ▶ Rugged, lightweight
- ▶ Heavy-duty, protective urethane glow bumper
- ▶ Durable aluminum/bronze shutoff handle
- ▶ Flow-efficient, constant gallonage operation
- ▶ Adjustable Teflon/Neoprene valve seat
- ▶ Superior straight stream for effective penetration
- ▶ Excellent for AFFF or Class A foam application
- ▶ Comfortable, no-slip pistol grip
- ▶ Spinning teeth for wide protective fog
- ▶ Meets NFPA 1964

		Hose	Thread	GPM	
BD148	Chief Nozzle	1"	1"	15, 30, 45, 60	\$584.95
BD149	Chief w/Pistol Grip	1"	1"	15, 30, 45, 60	\$629.95
BD150	Chief Nozzle	1½"	1½"	60, 95, 125, 150	\$593.95
BD151	Chief w/Pistol Grip	1½"	1½"	60, 95, 125, 150	\$665.95
BD152	Chief Nozzle	1¾"-2½"	1½"	175, 250, 325	\$707.95
BD153	Chief w/Pistol Grip	1¾"-2½"	1½"	175, 250, 325	\$719.95
BD154	Chief Nozzle	2½"	2½"	175, 250, 325	\$767.95



Viper Fire Fighting Nozzle



The Viper Industrial Heavy-Duty Nozzle with ergonomic rubber-coated pistol grip is an exceptional value for in-plant fire protection or wildland firefighting. It can break apart to help extend hose lines with both the tip and the pistol grip capable of shutting off. The spinning teeth add to the full fog pattern and the protective rubber bumper keeps the tip from sparking. A 95 GPM tip is standard and various tips are available making it the best value in its class.

	Specify threads: NST or NPSH	Ship. Wt.	Price
AM141	Viper Fire Fighting Nozzle	6 lbs.	\$263.95

Viper Automatic Nozzles



Rugged and durable nozzles that offer quality and at an affordable price in an automatic nozzle. You'll have the versatility of variable pattern control from straight stream to wide angle fog and capability of flushing without pattern changes or shutting down. Spinning teeth give superior fog protection and reach. Carbon-composite shutoff ball valve and control are highly resistant to wear and corrosion and give greater impact resistance. Other features include full time swivel inlet, hi-impact absorbing rubber bumper and pistol grip. *Made of anodized aluminum. Ship. wt. 6 lbs.*

- ▶ Compact and lightweight
- ▶ Ergonomic design
- ▶ Easy maintenance
- ▶ Pistol grip and ball shutoff

Specify 1" and 1 1/2" threads:
NST or NPSH; 2 1/2" is NST only

Cat#	Inlet	Flow Rates GPM	Price
AM132	1"	15 - 50	\$447.95
AM133	1 1/2"	25 - 100	\$456.95
AM134	1 1/2"	50 - 160	\$456.95
AM13501	1 1/2"	80 - 200	\$557.95
AM13502	2 1/2"	80 - 200	\$566.95

Darley 1.5" Breakpart Nozzles



- ▶ Ball valve shut-off
- ▶ Pistol grip design
- ▶ Ideal for wildland or industrial fire protection
- ▶ Tip also shuts off

AW227	Darley 1.5" Breakpart Nozzle (100 gpm Constant Flow)	\$304.95
AW228	Darley 1.5" Breakpart Nozzle (20-60 gpm Dual Range)	\$304.95

Adjustable Fog Nozzles

Adjustable Fog Nozzles are constructed of hard coated aluminum with brass and stainless steel internal components. They come with a heavy duty rubber bumper for added protection. These nozzles flow from 10 gpm or less and are ideal for wildland fire fighting, industrial fire protection and wash down applications.



AW102	1" 10-23 gpm Nozzle	\$79.95
AW103	1" 10-23 gpm Nozzle (Bumperless)	\$70.95
AW104	1 1/2" 20-60 gpm Nozzle	\$111.95
AW105	1 1/2" 20-90 gpm Nozzle	\$111.95

Blue Devil Nozzle



The Blue Devil Nozzle offers heavy-duty construction for operating in the most difficult conditions of fire fighting.

- ▶ Designed to work up to 570 psi
- ▶ New materials, reinforced shaft
- ▶ Highly durable and shock-resistant
- ▶ Improved selection cylinder
- ▶ Professional results from lower gallonage settings
- ▶ Deeper ribs in selector ring for better grip, even with gloves
- ▶ Permanent laser engraved flow information and position data
- ▶ Spinning teeth easier to replace
- ▶ Metal ball to work under high pressure

Specify thread: NST or NPSH

Cat#	Description	Performance	Weight	Price
BE268	1" Nozzle	5-15-25-50 gpm @ 100 psi	5 lbs.	\$557.95

Firefighting Handline Nozzles



This nozzle is a multi-gallage device which gives the nozzle man a greater degree of flexibility. The flow rate can be manually adjusted during operation without having to shut the nozzle down. It has been designed to give a constant flow, whether the stream pattern selected is on straight stream, power cone or wide angle fog. Constructed of anodized black aluminum or plain brass. Main features include: spinning turbine teeth which give excellent breakup of the water stream, flush mechanism, large ribbed rubber bumper, large rubber handle, dual Trunion drive on ball shut-off which provides smoother shut-off and less maintenance, ball shut-off is of the full flow type with chrome brass ball and nylon seats. *Nozzle comes standard with 1 1/2" female NST. Ship. wt. 2-9 lbs.*

▶ Adjustable to 30-60-95-125 gpm

Cat#	Description	Length	Wt.	Ship.	Price
AF258	Aluminum Nozzle w/Out Grip	7 5/8"	2 lbs.		\$538.95
AF259	Aluminum Nozzle w/Grip	8 1/8"	3 lbs.		\$618.95
AF260	Brass Nozzle w/Out Grip	7 5/8"	7 lbs.		\$856.95
AF261	Brass Nozzle w/Grip	8 1/8"	9 lbs.		\$936.95

EZ PUP Allows You To Fight Fire . . . Not Fatigue

The EZ PUP contoured shape fits against your body like a rifle stock; this makes it possible to transfer the reactionary forces of a charged line away from the arms and to an area of the body that has larger muscle and bone mass such as the shoulder, hip or thigh. These positions allow you stand erect, thus taking the twist and strain off the back. What's more, the EZ PUP allows for one hand operation, leaving the other hand free to adjust the nozzle. Comes standard with high visibility, photo-luminescent stripes. *Ship. wt. 5 lbs.*



Specify thread type

AK012	EZ PUP, 1 1/2"	\$248.95
-------	----------------	----------

Spray Nozzles

This constant gallage spray nozzle features aluminum alloy construction with a molded bumper for protection, ball shutoff and pistol grip. The flow pattern can be adjusted from a cone shaped position to a straight stream by rotating the bumper. Ideal for drop-in units or first response. Rated at 25 gpm. *Choose from either 1" or 1 1/2" NSTF inlet. Ship. wt. 3 lbs.*



▶ Contact Darley for information on color coded pistol grip and gpm

AS158	1" Nozzle with Shutoff and Pistol Grip 25 gpm	\$237.95
AS159	1 1/2" Nozzle with Shutoff and Pistol Grip 25 gpm	\$237.95

Tri-Flow Nozzle With Triple-Flow Straight Stream

The new Tri-Flow nozzle body is made from aluminum bar that is corrosion-resistant plated. The massive Neoprene bumper is specially formulated to resist damage and aging. Features a full-time ball bearing 1 1/2" swivel base. Big volume combination fog and straight stream, dense fog delivery with no voids or fingers in pattern, metal ball with non-stick Delrin seats and rugged hard-coated construction that is built to last. *200, 150 and 75 GPM @ 100 PSI. Available NH (NST) or NPSH (IPT) threads. Ship. wt. 6 lbs.*



AF791	Tri-Flow Nozzle	\$394.95
-------	-----------------	----------

Playpipe Nozzle

Playpipe nozzle combinations offer big nozzle delivery with easy handling. Opening and closing is easy at any pressure. Features hard-coated, lightweight aluminum, full-time ball bearing swivel base, metal ball with Delrin seats, big volume combination fog and straight stream, massive rubber bumper and dense fog delivery with no voids or fingers in pattern. Flows to 256 gpm. *Available with 2 1/2" NST threads only. Ship. wt. 11 lbs.*

Horseshoe Handles



AF792	Playpipe Nozzle	\$733.95
-------	-----------------	----------

CombiPOK

The Modern Solution for an Old Problem

"You like the solid bore reach and penetration, but you also have a need for protection with fog pattern".

- ▶ 1½" F inlet x 1½" M outlet
- ▶ 1⅜" waterway, 4" L, 1.3 lbs.
- ▶ Reach and penetration of a solid bore at all ranges of pressure from as low as 40 PSI
- ▶ Full fog pattern of 130° flow 100 gpm @ 100 psi and maintaining your reach and penetration of a solid bore



AW414	CombiPOK	\$199.95
BB031	CombiPOK with 15/16" Smooth Bore and Pistol Grip	\$509.95

Darley Ball Shutoff Valves

Feature female swivel base, horseshoe shutoff, hard, anodized aluminum construction, polymer ball and seats, neoprene seals and stainless steel swivel bearings. *Ship. wt. 2 lbs.*

Versatile ball shutoff



AM071	1" Ball Shutoff	\$140.95
AM072	1½" Ball Shutoff	\$164.95
AM073	1" Ball Shutoff with Pistol Grip	\$150.95
AM074	1½" Ball Shutoff with Pistol Grip	\$153.95

Constant Flow Nozzles

These nozzles provide a continuously adjustable stream, from a full fog to a straight stream and twist shutoff. Constructed of anodized aluminum and brass with stainless fasteners. Heavy-duty neoprene bumpers. *Ship. wt. 1 lb.*



Specify thread: **NST or NPSH**

AM080	1" Constant Flow Nozzle, 30 gpm	\$77.95
AM081	1½" Constant Flow Nozzle, 60 gpm	\$104.95
AM082	1½" Constant Flow Nozzle, 100 gpm	\$104.95

Handline Fire Fighting Nozzles

These direct-connect handline nozzles offer lightweight aluminum construction with hard-coated anodized finish. For field maintenance, a "fast change" Delrin ball and rear seat offers easy repair without the use of special tools. Performance features include heavy uniform fog patterns and a strong impinging straight stream to maximize reach and usage settings. The one-inch model features dual gallonage choice of 10/23 or 10/40 settings optional. All nozzles come with integral shutoff. *Ship. wt. 3 lbs.*



Cat#	Description	Hose	Thread	GPM	Price
AC662	Handline Nozzle	1"	1"	10-23	\$379.95
AC663	Handline Nozzle	1½"	1½"	95	\$555.95
AC664	Handline Nozzle	1½"	1½"	125	\$555.95

AC662

AC663/AC664

Stop It! Right Now! With FlameFighter Piercing Nozzles



The FlameFighter provides quick and efficient access through roofs, doors, walls, floors and even foundation blocks to extinguish fires from attic to basement. It gets you to the source of a fire quickly. In just seconds one or two firefighters can insert the FlameFighter into virtually any desired entry point and generate a high pressure water spray covering up to 2,400 square feet at 150 psi delivering 212 gpm. For vehicle fires, it easily pierces the hood, door or trunk to make for quick extinguishing. What's more, whether you're using water or foam, the precisely placed openings in the nozzle send out a pressuring spray that extinguishes or cools most any fire. *Piercing Nozzle Tip Spraying Unit covers over 2,400 sq. ft. at 150 psi. Can also adapt to foam applications. 5-yr. warranty. Ship. wt. 10 lbs.*



FlameFighter

The Original FlameFighter - Made of chrome-plated high-quality steel. Measures 60" long. Comes equipped with a 1 1/2" NST hose connection (other threads available). Protruding handles allow for easy control by one or two persons. Rear is weighted so it can be used as a battering ram.



Lightweight FlameFighter

Lightweight FlameFighter - A lighter weight 3 foot applicator made of high-quality steel and aluminum. Comes with 1 1/2" pistol grip ball shutoff.

Uses:

- ▶ Houses
- ▶ Car & trucks
- ▶ Garages
- ▶ Barns
- ▶ Mobile homes



AJ550	FlameFighter Piercing Nozzle	\$1,586.95
AJ549	Lightweight FlameFighter Piercing Nozzle	\$1,136.95

900 Series Piercing Nozzles

These new nozzles combine the best of durability, flexibility and are light in weight. They can accommodate extensions for extra reach (2' per extension). They can also be driven in with a mallet if needed. This unique nozzle design needs to be driven in only 3.75" to have full penetration of the sprayer unit. Ideal for walls with coverage of up to 25 feet in all directions. It's powerful enough for fires in attics, basements, mobile homes, garages, vehicles or any confined space. These piercing nozzles feature a unique safety handle. That allows a firefighter to safely hold the unit when a mallet is being used to drive the nozzle in. The handle is removable if needed. They come with 1.5 NST threads as standard; other threads are available. Designed for the rugged demands of the Fire Service worldwide. *Ship. wt. 9-24 lbs.*



AS166



Cat#	Description	Ship. Wt.	Price
AS160	Nozzle 2' with (1) 2' Extension	9 lbs.	\$765.95
AS161	Nozzle 2' with (1) 2' Extension and Shutoff Valve	9 lbs.	\$1028.95
AS162	Nozzle 4' with (1) 2' Extension	12 lbs.	\$914.95
AS163	Nozzle 4' with (1) 2' Extension and Shutoff Valve	12 lbs.	\$1,179.95
AS166	Battering Ram Nozzle Plus (1) 2' Extension	24 lbs.	\$1002.95
AS167	Battering Ram Nozzle Plus (1) 2' Extension with Shutoff Valve	24 lbs.	\$1,120.95

900 Series 90° Piercing Nozzles

- ▶ Ideal for use on car fires or confined space
- ▶ All FlameFighter nozzles qualify for ISO points
- ▶ Delivers up to 139 GPM
- ▶ Storage brackets included
- ▶ 1 1/2" NST F
- ▶ 38" long
- ▶ 5-year warranty
- ▶ Ship wt. 9-12 lbs.



AS164	Nozzle 90° (Car Fires)	\$693.95
AS165	Nozzle 90° (Car Fires) w/Shut Off Valve	\$839.95

Deluge Tips, Smooth-Bore Tips and Devices



A. Deluge Tip

- ▶ 9" long
- ▶ 1/2" orifice
- ▶ 2 1/2" base thread
- ▶ Hardcoat aluminum

Ship wt. 1 lb.
AJ524 Deluge Tip \$141.95

E. 6" Smooth Bore Tip

- ▶ 6" long
- ▶ 1 1/2" base thread
- ▶ 1/8" orifice
- ▶ Hardcoat aluminum

Ship wt. 1 lb.
AJ530 6" Smooth Bore Tip \$99.95

B. Discharge Pipe

Two sets of stream straightener fins ensure maximum reach and solid streams. For use on all monitors. Max. flow rate 1,750 GPM. Ship wt. 1 lb.

- ▶ 11" or 16" long
- ▶ 2 1/2" inlet and discharge
- ▶ Hardcoat aluminum

AJ525 Discharge Pipe, 11" \$195.95
AJ526 Discharge Pipe, 16" \$216.95

F. Double Stack Tip

- ▶ 6 3/4" long
- ▶ 1 1/2" base thread
- ▶ 1" female base thread
- ▶ Hardcoat aluminum
- ▶ 15/16" x 1/2" orifice

Ship wt. 1 lb.
AJ533 Double Stack Tip \$152.95

C. Deluge Tip with Stream Straightener

- ▶ 11" long
- ▶ 2 1/2" base thread
- ▶ 1 1/2" orifice
- ▶ Built-in stream straightener
- ▶ Hardcoat aluminum

Ship wt. 1 lb.
AJ527 Deluge Tip with Straightener \$194.95

G. Deluge Stack Tip

- ▶ 12" and 17" long
- ▶ 2 1/2" base thread
- ▶ Two middle threads, underwriters P.P.S. 2" NH
- ▶ 1 1/2" top thread
- ▶ 1 3/8", 1 1/2", 1 1/4" orifices
- ▶ Hardcoat aluminum

Ship wt. 3 lbs.
AJ534 12" Triple Deluge Stack Tip \$251.95
AJ537 17" Quad Deluge Stack Tip \$301.95

D. Stream Straightener

Use with all large-volume discharge devices for increased range and effective reach. Ship wt. 1 lb.

- ▶ 3" long
- ▶ 2 1/2" inlet and outlet threads
- ▶ Hardcoat aluminum

AJ528 Stream Straightener \$69.95

H. Triple Handline Stack Tip

- ▶ 8 1/2" long
- ▶ 1 1/2" base thread
- ▶ 1 1/2" middle thread
- ▶ 1 1/4" top thread
- ▶ 1", 1 1/8", 1 1/4" orifices
- ▶ Hardcoat aluminum

Ship wt. 1 lb.
AJ536 Triple Handline Stack Tip \$226.95



A. Underwriters & Factory Mutual Playpipes

Made with 2 1/2" base and 30" long. Screw nozzle, swivel handle, Marlin wound and painted red. Standard discharge tip 1 1/8". Ship. wt. 10 lbs.

288	Underwriters Playpipe, 30" NH	\$269.95
R661	Factory Mutual Playpipe, 15" NH	\$265.95
B45801	Underwriters Playpipe Tip with 1 1/8" Discharge (Brass Tip Only)	\$56.95

B. Hose Pipes

Cast Brass, for 1 1/2" and 2 1/2" fire hose. Ship. wt. 5 lbs.

E137	1 1/2" Pipe, Discharge 1/2", 10"L	\$27.95
E138	2 1/2" Pipe, Discharge 1", 12"L	\$54.95

Stacked Tips

- ▶ Sold as a set, taper from 1 3/4" to 1 1/8" to 1"
- ▶ Constructed of anodized aluminum, colored gold
- ▶ 1 1/2" rigid base NST



BB036 Stacked Tips, Outlet 1 3/4" to 1 1/8" to 1" (Set of 3) \$241.95

Cellar Nozzle

The Cellar Nozzle has a ball bearing revolving action for attacking fires in hard-to-reach places. The **AF242** has a 1½" rigid base with 6 variable angle orifices. It flows 95 gpm at 50 psi; measures 3½"L. The **AF241** has a 2½" base with 9 variable angle orifices. It flows 250 gpm at 100 psi; measures 5⅝"L. *Ship. wt. 2 lbs.*



AF242	Cellar Nozzle, 1½"	\$389.95
AF241	Cellar Nozzle, 2½"	\$494.95

Piercing Applicator Nozzle

Use a sledge hammer to drive the Piercing Applicator Nozzle through concrete blocks, mobile homes, etc. Designed to get water or foam to hidden trouble spots. Flows 125 gpm at 100 psi. Driving button and point are made of hardened tool steel with impinging jets for a dense fog pattern. Compatible with AFFF and Class A foams. 1½" inlet. *Ship. wt. 14 lbs.*



AF239	Piercing Applicator Nozzle, 3'	\$702.95
AF240	Piercing Applicator Nozzle, 6'	\$745.95

Chimney Nozzle

This nozzle has been designed for all hidden fires such as high-beam fires and fires in false roofs or chimneys. 1" or 1½" NSTF inlet; 10 gpm; 30"L. *Ship. wt. 6 lbs.*



Specify inlet size

AM273	Chimney Nozzle	\$202.95
--------------	----------------	----------

Viper Black Knight Nozzle

The Black Knight is constructed in 1½" size and adjustable from wide fog to shut off position, with flows up to 95 GPM. The Black Knight is much more durable and dependable compared to conventional polymer nozzles as it is highly reinforced with fiberglass which allows the nozzle to hold its shape under heat and pressure. It includes brass internal stems for corrosion resistance, and has a rubber bumper. Great for brush, wildland fires and industrial applications. *Ship. wt. 2 lbs.*



AW106	Viper Black Knight Nozzle 1½" 95 gpm	\$25.95
--------------	--------------------------------------	---------

Augustus Fire Tool®

Augustus Fire Tool for Portable Extinguishers - The Augustus Tool can operate in conjunction with CO₂, Pressurized Water or Dry Chemical extinguishers. The tool is supplied with a six foot hose to replace the existing hose on the extinguisher and is fitted with a quick-connect male coupling to connect to the tool's inlet handle female brass safety-lock coupling. *Ship. wt. 14 lbs.*

Augustus Fire Tool for Hose Lines - This model is designed to be used with a booster tank operation. The tool can be supplied from a booster tank using either a 1" booster line, 1½" or 1¾" pre-connect hose line with a flow in excess of 55 gpm. Comes with a female swivel connection for either 1" or 1½" hose equipped with National Standard Hose Thread or any thread your department uses. *Ship. wt. 15 lbs.*

- ▶ Use on vehicles and confined spaces
- ▶ Portable or hose line



Hardened stainless steel tip



Female National Standard hose thread/female brass safety-lock coupling

Portable Models - Specify extinguisher make/model

AG065	Fire Tool with CO ₂ Hose	\$648.95
AG066	Fire Tool with Dry Chemical Hose	\$648.95
AG067	Fire Tool with Water Foam Hose	\$648.95
AK174	Portable Complete Package	\$712.95

Hoseline Models

AG069	Fire Tool with 1" Female Swivel	\$692.95
AG070	Fire Tool with 1" Flat Hose Whip and Swivels	\$754.95
AK175	Complete Hoseline Package	\$973.95

