

Maximize Your Water Flow with LDH Appliances



3-Way Ball Valve

Designed to distribute water to three small diameter lines from a large diameter line, or supply a large diameter line from smaller supply lines. 3-way ball valve features an adjustable pressure relief valve to reduce water hammer. Ball valve body is made of lightweight, high-strength aluminum with powder coat finish. Ball assembly is hard-coat anodized aluminum. Large waterways help minimize pressure loss. *Ship. wt. 21 lbs.*

- ▶ Locking storz
- ▶ 3-way ball valve
- ▶ 12¹/₄"L x 16"W x 11"H

AS142	4" S x (3) 2 ¹ / ₂ " NSTM	\$1,174.95
AS143	4" S x (3) 2 ¹ / ₂ " NSTF	\$1,174.95
AS144	5" S x (3) 2 ¹ / ₂ " NSTM	\$973.95
AS145	5" S x (3) 2 ¹ / ₂ " NSTF	\$973.95



2-Way Ball Valve

Designed to distribute water to two small diameter lines from a large diameter line, or supply a large diameter line from smaller supply lines. Ball valve body is made of lightweight, high-strength aluminum with red powder coat finish. Ball assembly is hard-coat anodized aluminum. Large waterways help minimize pressure loss. *Ship. wt. 12 lbs.*

- ▶ Locking storz
- ▶ 2-way ball valve
- ▶ 10"L x 9"W x 8"H

AS146	4" S x (2) 2 ¹ / ₂ " NSTM	\$519.95
AS147	4" S x (2) 2 ¹ / ₂ " NSTF	\$519.95
AS148	5" S x (2) 2 ¹ / ₂ " NSTM	\$493.95
AS149	5" S x (2) 2 ¹ / ₂ " NSTF	\$493.95



3-Way Manifold

This lightweight, compact unit is a simple, economical way to feed multiple small lines with one large line, and continue with a large line. All outlets are valved. Relief valve and pressure gauge are standard. *Ship. wt. 42 lbs.*

- ▶ 17¹/₂"L x 21¹/₂"W x 13"H

BC006	4" Storz Inlet x 4" Storz Outlet x (2) 2 ¹ / ₂ " NH M	\$1,527.95
BC007	5" Storz Inlet x 5" Storz Outlet x (2) 2 ¹ / ₂ " NH M	\$1,527.95

Supply Multiple Attack Lines Manifold

Sizes come with 4" or 5" Storz connection on both. Large gated intake and discharge plus (4) 2¹/₂" gated discharges. Portable manifold is designed to take advantage of the increased flow capabilities of large diameter hose. Can supply multiple attack lines without a pumper. Brings your hydrant to the fire scene. Fabricated from lightweight, high-strength aluminum alloy and is hard coat anodized. Provided with large full flow waterways, relief valve and a glycerine filled pressure gauge to indicate residual pressure. *Ship. wt. 51 lbs.*

- ▶ Locking storz
- ▶ 5-Way manifold
- ▶ 16"L x 21"W x 13"H

AR142	4" Storz Intake to (4) 2 ¹ / ₂ " NST Male Outlets and (1) 4" Storz Gated Outlet	\$1,700.95
AR143	5" Storz Intake to (4) 2 ¹ / ₂ " NST Male Outlets and (1) 5" Storz Gated Outlet	\$1,718.95



3-Way Siamese

Aluminum construction with large waterways. 2 1/2" NST female swivel inlets. Convenient carrying handle. Ship. wt. 18 lbs.



AW078	3-Way Siamese 4" S x (3) 2 1/2" NH Inlet	\$761.95
AW079	3-Way Siamese 5" S x (3) 2 1/2" NH Inlet	\$761.95

Super Flow Large Ball Valve

Designed specifically for feeding to or from large diameter hoses. This valve has full flow 4 1/2" waterways. Each outlet is provided with a ball gate valve to permit easy shutoff of the water flow. The valve has an adjustable relief valve to reduce effects of water hammer. The large gated wye eliminates the need to lay multiple lines. Particularly useful in supplying multiple apparatus with large diameter hose. Ship. wt. 56 lbs.



▶ Locking Storz

AR120	Super Flow Ball Valve, 4" Storz to (2) 4" Storz	\$2,033.95
AR121	Super Flow Ball Valve, 5" Storz to (2) 5" Storz	\$1,932.95

LDH Hydrant Valve

This unique valve permits the first-in pumper to lay the large diameter line directly from hydrant to fire and start pumping water. If more pressure is required to boost the pressure at the hydrant to take full advantage of available water, another pumper can connect to the hydrant valve and start pumping with no interruption in flow. A third position provides emergency shut-down capability. Extension 13", 17 3/4" Wx13"H. Ship. wt. 27 lbs.



AS150	LDH Hydrant Valve 4" S x 4" NST	\$1,592.95
AS151	LDH Hydrant Valve 4" S x 4 1/2" NST	\$1,732.95
AS152	LDH Hydrant Valve 5" S x 4" NST	\$1,316.95
AS153	LDH Hydrant Valve 5" S x 4 1/2" NST	\$1,615.95

Siamese 2-Way Clappered

The Siamese 2-way clappered is made primarily of aluminum alloy that has been heat treated. The Siamese's other major components are made of stainless steel and galvanized brass. This lightweight and smaller design minimizes the friction loss by up to three times. Ship. wt. 8 lbs.



AW080	(2) 2 1/2" F Inlet x 2 1/2" M Outlet	\$300.95
AW081	(2) 2 1/2" F Inlet x 4" M Outlet	\$261.95
AW082	(2) 4" F Inlet x 4 Outlet	\$735.95
AW083	(2) 2 1/2" F Inlet x 4" Storz Outlet	\$349.95
AW084	(2) 4" Storz x 4" Storz Outlet	\$937.95

Gate Valve

Akron's new gate valve is constructed of lightweight Pyrolite® with a heavy-duty wedge gate design, a non-rising stem and a handwheel for easy operation at standard pressures. The handwheel can also be utilized as a carrying handle for easy transport of the valve. The unique design of the Gate Valve provides minimal friction loss and meets the NFPA slow close requirements. Ship. wt. 9 lbs.



AW161	3" NHF x 3 1/2" NHM	\$808.95
AW162	3 1/2" NHF x 3 1/2" NHM	\$808.95
AW163	4" NHF x 4" NHM	\$873.95
AW164	4 1/2" NHF x 5" Storz	\$810.95
AW165	4 1/2" NHF x 4" Storz	\$810.95

2-Way Siamese

These reliable clappered Siamese valves are used for feeding one large line with multiple smaller lines. Clapper valve allows for single line usage as well. Powder-coat aluminum finish with carrying handle. Other sizes also available. Length 10 1/2" Lx10" Wx 5"H. Ship. wt. 8 lbs.



▶ Single Clapper

AS138	2-Way Siamese 4" Storz x (2) 2 1/2" NST F SW	\$240.95
AS139	2-Way Siamese 4" Storz x (2) 2 1/2" NST M	\$240.95
AS140	2-Way Siamese 5" Storz x (2) 2 1/2" NST F SW	\$264.95
AS141	2-Way Siamese 5" Storz x (2) 2 1/2" NST M	\$264.95

DarQuest Lightweight Hose

PRICE SPECIAL



Requires less storage space, allowing more room for hose or equipment

All that stands between the firefighter and a fire is time and the right equipment. Darley Lightweight Hose is the answer with a durable lightweight design. Its greater flexibility makes it resistant to kinking and more maneuverable, freeing the firefighter to concentrate on the job at hand - saving lives and fighting fires. Requires less storage space allowing more room to transport additional hose firefighting equipment. A Special Hypalon® Blend Coating reduces water pick-up and increases abrasion resistance. Made of premium materials that are quality tested before, during, and after manufacturing. Meets the NFPA 1961 standards. High-strength, low-stretch yarns produce a highly abrasion-resistant, lightweight attack hose. The high-tech thermo-plastic lining eliminates ozone deterioration found in look-alike hoses. Lining meets the NSF (National Sanitation Foundation) Standard 14 for portable water and has a tensile strength over 2,000 psi. Tested and stenciled in accordance with NFPA Standard 1961. Available in orange only.

Cat#	Hose Size	Test Pressure	Annual Service Test	Weight per 50' Coupled	Price per 50' Coupled
AB083	1 1/2"	800 psi	400 psi	17 lbs.	\$128.95
AB084	1 3/4"	800 psi	400 psi	18 lbs.	\$153.95
AB085	2 1/2"	800 psi	400 psi	27 lbs.	\$198.95
AB086	3"	600 psi	300 psi	33 lbs.	\$261.95

10-year warranty



DARLEY 800 Hose Polyester Double Jacket 800 psi Hose

PRICE SPECIAL

The tight weave in both jackets means no drying is required after use and that it is completely immune to the effects of mildew. A long-lasting synthetic rubber lining combined with the rugged double jacket construction, plus the Darley low price, makes this hose the first choice of many fire departments and industrial users requiring long-lasting, tough fire hose. Available in white only. Complete detailed specifications are available upon request. *This attack grade hose is designed specifically for the toughest fire fighting jobs. The jackets are woven from the finest high-tensile 100% polyester yarn.*

How To Order Darley 800 or Cord Hose

Length: All hose will be shipped in 50 ft. lengths. 75 ft. or 100 ft. lengths are available (pricing available upon request).

Couplings: All hose will be shipped with hard-coated, lightweight, rocker lug couplings, unless otherwise specified (brass couplings available for an additional charge).

Threads: NST (NH) threads are standard. IPT (NPSH) available at no additional charge (other threads available for \$5.00 per set).

Cat#	Hose Size	Test Pressure	Annual Service Test	Weight per 50' Coupled	Price per 50' Coupled
R755	1 1/2"	800 psi	400 psi	18 lbs.	\$88.95
T410	1 3/4"	800 psi	400 psi	19 lbs.	\$110.95
BB154	2"	800 psi	400 psi	26 lbs.	\$162.95
R757	2 1/2"	800 psi	400 psi	32 lbs.	\$156.95
R758	3"	800 psi	400 psi	40 lbs.	\$234.95

2" Standard, 2" x 1 1/2" NH 3" Standard, 3" x 2 1/2" NH

All-Polyester Double Jacket 800 psi Hi-Tech Polymer Impregnation Hose

Darley - Cord 800 is a unique attack-grade fire hose, developed specifically for the rigorous environment of fire department use.

The all-polyester double jacket construction, combined with an ozone-resistant, high-tensile synthetic rubber liner, provides the most advanced fire hose in the industry. The hose is both lightweight and extremely durable. The outside jacket is thoroughly impregnated with a heat-set High-Tech Polymer, providing durability and ease of maintenance (superior to Hypalon). This hose is completely immune to any effects of mildew, and drying is not required. *Complete detailed specifications are available upon request. Specify Color: Yellow, Red, Tan, Blue, Black, or Orange.*

10-year warranty



Cat#	Hose Size	Test Pressure	Annual Service Test	Weight per 50' Coupled	Price per 50' Coupled
U273	1 1/2"	800 psi	400 psi	18 lbs.	\$101.95
U275	1 3/4"	800 psi	400 psi	19 lbs.	\$120.95
BB155	2"	800 psi	400 psi	26 lbs.	\$177.95
U276	2 1/2"	800 psi	400 psi	32 lbs.	\$171.95
W109	3"	800 psi	400 psi	40 lbs.	\$246.95

2" Standard, 2" x 1 1/2" NH 3" Standard, 3" x 2 1/2" NH

Darley Fire Hose

Features:

- ▶ **Ease of Handling** - Uniquely constructed inner liner with resilient reinforcement helps ensure maximum flow with minimum friction loss
- ▶ **Tough and Durable** - Specially formulated rubber compound provides a tough cover that resists tear and abrasion, snags, hot embers, cuts and most chemicals
- ▶ **Construction** - Extruded Interlocking Matrix
- ▶ **Cover** - 100% Synthetic Nitrile Ribbed Rubber
- ▶ **Reinforcement** - 100% Synthetic Fiber, Circular Woven

- ▶ **Inner Liner** - 100% Smooth, Synthetic Nitrile Rubber
 - ▶ **Rating** - 1" - 3" - 600 PSI Test, 4" - 5" - 400 PSI Test
- Applications:**
- ▶ Relay and Tandem pumping
 - ▶ Crash fire rescue
 - ▶ Industrial fire fighting
 - ▶ Rural water supply
 - ▶ Aerial equipment supply
 - ▶ Military

A. Darley Extruded Rubber Attack Hose

Specify color when ordering.

Cat#	Size	Colors Available	Price	Price	Price
			100' Coupled	50' Coupled	25' Coupled
AC659	1"	Yellow Only	\$228.95	\$127.95	\$75.95
AC665	1½"	Blue, Black, Red, Yellow	\$274.95	\$153.95	\$89.95
AC666	1¾"	Blue, Green, Orange, Red, Yellow	\$329.95	\$186.95	\$101.95
AC667	2"	Blue, Red, Yellow	\$375.95	\$197.95	\$148.95
AC668	2½"	Blue, Orange, Red, Yellow	\$414.95	\$224.95	\$131.95
AC669	3"	Blue, Green, Red, Yellow	\$508.95	\$281.95	\$176.95



A

B. Darley L.D.H.

Uncoupled hose available - pricing upon request.

Specify NST with Rocker Lug or Storz Coupling
Specify color: Red, Yellow, Blue or Orange

Cat#	Size	Price	Price	Price
		100' Coupled	50' Coupled	25' Coupled
AC670	4"	\$529.95	\$324.95	\$230.95
AC671	5"	\$653.95	\$400.95	\$282.95
BH005	6"	\$1,096.95	\$750.95	\$577.95



B

C. Darley Hi-Rise Hose

Lightweight hose ideal for high-rise packs. At about half the weight of standard double jacketed hose, it is easier and less stressful to carry up stairs. Made of 100% synthetic nylon and completely protected by an abrasion and chemical-resistant orange colored nitrile rubber cover. 1¾" size is coupled with 1½" NST lightweight anodized couplings standard. Tensile strength of 2000 psi. 50' of Darley Hi-Rise Hose coils to only 10". 5-year warranty. Color: hi-visibility orange.

Cat#	Hose Size	50'	75'	100'
		AM104	1¾"	\$127.95
BH087	2½"	\$176.95	\$246.95	\$315.95



C

D. Combat Ready Hose

This hose is designed specifically for aggressive interior fire attack operations. The outer jacket is woven from staple polyester yarns over an inner liner consisting of a one-piece extruded through-the-weave tube. Combat Ready is manufactured in a high-visibility white with one red and one blue stripe running the length of the hose. This heat-resistant, drag-resistant and kink-resistant hose has superior friction loss characteristics. Ship. wt. 18-26 lbs.

- ▶ Abrasion-resistant
- ▶ High visibility
- ▶ 10-year warranty
- ▶ Low friction loss



Cat#	Hose Diameter	Service Pressure	Acceptance Pressure	Weight Per 50' Coupled	Price Per	Price Per
					50' Coupled	100' Coupled
AS322	1¾"	500 psi	1000 psi	18 lbs.	\$244.95	\$463.95
AS323	2½"	500 psi	1000 psi	26 lbs.	\$327.95	\$617.95



D

Spec 187 Forestry Hose

Extremely lightweight all synthetic forestry hose which meets or exceeds all USDA Spec 187 TYPE 2 specifications. This all polyester polyurethane lined fire hose is super light weight, however designed for everyday fire department use. Available in either yellow (according to TYPE 2 spec.) or white. Construction: Circular bias woven, single jacket, 100% all polyester. Tube: Extruded TPU -ozone and age resistant.

Hose Size	Bowl Size	Weight 100' Uncpld.	Proof Press.	Service Test Press.	Burst Press.
1"	1 ¹ / ₁₆ "	8.5 lbs.	450 PSIG	250 PSIG	900 PSIG
1 ¹ / ₂ "	1 ¹ / ₁₆ "	13.75 lbs.	450 PSIG	250 PSIG	900 PSIG



		50'	100'
BH088	1" White SPEC 187 Type 2 Hose	\$82.95	\$140.95
BH089	1 ¹ / ₂ " White SPEC 187 Type 2 Hose	\$86.95	\$147.95
BH090	1" Yellow SPEC 187 Type 2 Hose	\$96.95	\$168.95
BH091	1 ¹ / ₂ " Yellow SPEC 187 Type 2 Hose	\$101.95	\$177.95

Magnum 800 – Nylon Hose

This double jacket attack hose is manufactured using tightly woven entangled filament nylon 6.6 yarns in both the inner and outer jackets to promote abrasion resistance and kink-resistance. With higher tensile strength than that of polyester, the Magnum 800 is designed for aggressive fire department use. Magnum 800 meets and exceeds all current NFPA 1961 and 1962 specifications for attack hose. Construction: 100% all synthetic entangled NYLON 6.6 Tube: EPDM rubber lined for the best ozone resistance.

Hose Size	Weight 50' Coupled	Annual Service Test Press.	Hose Size Test Press.
1 ³ / ₄ "	18 lbs.	400 PSI	800 PSI
2 ¹ / ₂ "	28 lbs.	400 PSI	800 PSI



Specify Color: Yellow or Orange

BH092	1 ³ / ₄ " x 50' Magnum 800 Hose	\$155.95
BH093	2 ¹ / ₂ " x 50' Magnum 800 Hose	\$210.95

RACK HOSE™

All-polyester single jacket interior protection hose for buildings and plants. Lightweight and compact, replaces unlined linen foot for foot. Approximately half the weight of standard rubber lined single jacket hose. **Construction:** Single jacket, all-virgin filament polyester, circular plain weave. **Tube:** Extruded T.P.U. elastomer - ozone and age resistant.

Hose Size	Bowl Size	Weight 100' Uncpld.	Proof Press.	Service Test Press.	Burst Press.
1"	1 ¹ / ₁₆ "	6.25 lbs.	500 PSIG	250 PSIG	750 PSIG
2 ¹ / ₂ "	2 ¹ / ₁₆ "	11 lbs.	500 PSIG	250 PSIG	750 PSIG



		50'	75'	100'
AS176	1 ¹ / ₂ " Rack Hose™ with Brass NST Couplings	\$81.95	\$116.95	\$148.95
AS177	2 ¹ / ₂ " Rack Hose™ with Alum. NST Couplings	\$144.95	\$174.95	\$193.95

SUPPLYLINE™ Hose

Double jacket all-polyester hose intended to transfer large volumes of water with minimal friction loss. Lightweight and compact, occupies less space than conventional rubber-covered LDH. Flexible to -60°F. Construction: circular woven, double jacket, 100% virgin spun polyester. Tube: Extruded T.P.U. elastomer - ozone and age resistant.

Hose Size	Threaded Bowl Size	Weight 100' Uncpld.	Proof Press.	Service Test Press.	Burst Press.
4"	4 ³ / ₈ "	68 lbs.	600 PSIG	300 PSIG	900 PSIG
5"	5 ³ / ₈ "	84 lbs.	600 PSIG	300 PSIG	900 PSIG



		25'	50'	100'
BB109	4" SUPPLYLINE™ Hose with Encap Treatment	\$374.95	\$517.95	\$766.95
BB110	5" SUPPLYLINE™ Hose with Encap Treatment	\$485.95	\$648.95	\$1,003.95

5"x10' Double Jacket Soft Suction Hose

Hose with NH Long Handle Double Female

BD001	4"	4.5"	5"	6"
4"	\$374.95			
4.5"	\$374.95	\$374.95		
5"	\$374.95	\$437.95	\$437.95	
6"	\$374.95	\$437.95	\$437.95	\$451.95

Hose with NH Long Handle Female x Storz

BD002	4"	4.5"	5"	6"
4" Stz	\$374.95	\$374.95	\$391.95	\$395.95
5" Stz	\$374.95	\$374.95	\$391.95	\$406.95

5"x10' Rubber Covered Soft Suction Hose

Hose with NH Long Handle Double Female

BD003	4"	4.5"	5"	6"
4"	\$359.95			
4.5"	\$359.95	\$359.95		
5"	\$359.95	\$430.95	\$430.95	
6"	\$432.95	\$430.95	\$430.95	\$448.95

Hose with NH Long Handle Female x Storz

BD004	4"	4.5"	5"	6"
4" Stz	\$359.95	\$335.95	\$359.95	\$381.95
5" Stz	\$359.95	\$342.95	\$378.95	\$391.95

Darley Soft Suction Hose

Light, flexible and strong. All 100% Polyester jacket or nitrile rubber. Will not mildew or rot. Coils smaller and handles easier. Choose from 5" double jacket or rubber covered hose. Priced per 10 foot sections. *Other sizes available, call for pricing.*



A. Darley Booster Hose

For service pumpers we recommend our **BG280** and **BG281** Booster Hose. It assures all-around dependable service and years of trouble-free use. *Couplings come in aluminum pin hole. NST.*

Cat#	Inside Diameter	PSI	50'	100'
BG280	3/4"	600	\$206.95	\$362.95
BG281	1"	800	\$270.95	\$433.95

Other threads available. Call for pricing.



B. REELITE Booster Hose

Handles like a lay-flat hose yet performs like a rigid reel hose. Whether used as a municipal, forestry or industrial hose, this hose makes the job effortless. Seamless single jacket construction made of polyester is treated to increase abrasion resistance as well as resistance to acids, oils, chemicals and salt water. Smooth E.P.D.M. Rubber inner lining is free from imperfections, keeping friction loss to a minimum. 12" reel drum recommended.

- ▶ Durable
- ▶ Flexible
- ▶ Compact

		50'	100'
BH006	1" REELITE Booster Hose	\$193.95	\$348.95

NEW



C. Lightweight Booster Hose

- ▶ 400 psi service test pressure
- ▶ Half the weight of other brands of booster hose
- ▶ Fits standard reels without kinking (4 1/2" radius)
- ▶ Non-collapsible rigid booster reel hose
- ▶ Single jacket with yellow Yermatex® treatment
- ▶ Polyurethane lined yielding low friction loss and easy handling

Couplings

- ▶ **BD113 Coupling** - Aluminum 1"x1 1/16" NH forestry pin hole set
- ▶ **BD114 Coupling** - Aluminum 1"x1 9/32" NH R/L

See pages 55 & 236 for reels

Cat#	Description	50'	100'
BD113	3/4" Yellow Hose with Coupling	\$184.95	\$324.95
BD114	1" Yellow Hose with Coupling	\$169.95	\$312.95



Darley Hard Suction Hose

Smooth bore, hard suction hose for heavy-duty service. Built with a spiral wire helix, and nylon fabric reinforcement piles. Tube and cover are taut, black rubber that is age and abrasion-resistant. Good for full vacuum in all sizes. Meets NFPA 1961 and 1901. Comes with lightweight anodized couplings installed (request price for chrome plated); long handle female x rocker lug male. Price on request for other lengths.

Price per 10 foot section coupled

Cat#	Size	Ship. Wt.	Price
T165	2 1/2"	26 lbs.	\$172.95
T166	3"	32 lbs.	\$252.95
T167	4"	46 lbs.	\$365.95
T168	4 1/2"	49 lbs.	\$403.95
T169	5"	59 lbs.	\$589.95
T170	6"	70 lbs.	\$642.95

Darley Flexible Hard Suction Hose

Makes pumper-to-hydrant or pumper-to-tanker hookups easier and faster because the hose is more flexible. Also known as corrugated hard suction hose, Darley's Flexible Hard Suction Hose allows you some leeway when lining up your pumper for hydrant connections. Because it's so flexible, you can bend the hose to make your connection even if it's not properly lined up or too close. Features smooth bore and is tested to 25" of vacuum. Rubber and polyester construction reinforced with a round steel wire. Hose comes with anodized lightweight rocker lug male x long handle female coupling. NST threads are standard.

Price per 10-foot section

Cat#	Size	Ship. Wt.	Price
L673	2 1/2"	27 lbs.	\$289.95
M889	3"	35 lbs.	\$334.95
L674	4"	42 lbs.	\$415.95
L675	4 1/2"	58 lbs.	\$456.95
L676	5"	87 lbs.	\$594.95
L677	6"	102 lbs.	\$650.95

Darley Clear PVC Suction Hose

17% Lighter Than Previous Hose

This lightweight suction hose can be easily handled by one firefighter. Black ridged helix and smooth bore give this hose unrestricted flow. Clear flexible connector web allows for visual monitoring of incoming water. Sold standard in 10-foot lengths, coupled. NST threads standard. Pricing available for longer lengths. Ship. wt. 45 lbs.

- ▶ Operates in extreme temperatures
- ▶ Sold complete with end couplings
- ▶ For drafting only

AW135 Specify Size:

4" x 10' Storz LH	\$488.95
5" x 10' Storz LH	\$576.95
6" x 10' Storz LH	\$738.95

AA841 Specify Size:

1 1/2" x 10' RLF x RLM	\$68.95
2 1/2" x 10' RLF x RLM	\$140.95
3" x 10' RLF x RLM	\$205.95
4" x 10' LHF x RLM	\$255.95
4 1/2" x 10' LHF x RLM	\$350.95
5" x 10' LHF x RLM	\$366.95
6" x 10' LHF x RLM	\$464.95



Hose comes coupled

Barrel Strainers

Your choice of aluminum or heavy-gauge steel for hard service. Bottom and bronze inlet are welded into one unit. Cylindrical holes provide a greater area of entrance for the water and allow full capacity pumping. NST threads standard. Prices on request for other threads. Ship. wt. 7 lbs.

Aluminum Strainer

	2 1/2"	3"	4"	4 1/2"	5"	6"
AM107	\$73.95	\$75.95	\$90.95	\$107.95	\$117.95	\$128.95

Foot Valve Barrel Strainer

Opens and closes automatically when you start and stop drafting water. Allows full flow for capacity but when you stop pumping it closes instantly and automatically and keeps the pump primed by preventing water from flowing out. Complete with eyebolt for rope. Made of coated aluminum. NST threads. Prices on request for other threads. Ship. wt. 28 lbs.

	2 1/2"	3"	4"	4 1/2"	5"	6"
AM106	\$96.95	\$102.95	\$143.95	\$157.95	\$165.95	\$176.95



See page 35 for more strainers

Industrial Grade PVC Suction Hose

- ▶ Lightweight
- ▶ Easily coiled
- ▶ Holds full vacuum
- ▶ Smooth bore
- ▶ Virtually crush proof



PVC Suction Hose w/out Couplings

	1.5"ID	2.5"ID	3"ID
AZ531	\$2.95/ft.	\$3.95/ft.	\$3.95/ft.

Aluminum/Brass Pin Lug Couplings (Attached)

	1.5"NPT	2.5"NPT	3"NPT
AZ532	\$25.95/set	\$29.95/set	\$31.95/set

	1.5"NST	2.5"NST
AZ532	\$31.95/set	\$48.95/set

A. Hose Hoist

- ▶ For raising/lowering hose, ladders, etc. to and from the roof or through windows
- ▶ Akrolite™ construction

J735 Hose Hoist \$353.95



B. Hose & Ladder Strap

Use the hose and ladder strap to advance hose, drag pre-connected hose from the truck or carry non-charged hose up a ladder. Tough nylon webbing with lightweight aluminum alloy drag handle on one end and adjustable hook end on other. Fits up to 2 1/2" hose. Ship. wt. 1 lb.

M684 Hose & Ladder Strap \$27.95



C. Darley Rope Hose Tool

We make our own and improved on the original by using lightweight and extremely strong nylon. The steel hook is attached around the hand spliced area of the tool. Rope length 9 feet. Ship. wt. 3 lbs.

T401 Darley Rope Hose Tool \$48.95

Hose Handler with Dewatering Bar



- ▶ Prevent some back injuries related to handling large diameter hose
- ▶ Lift and move rolled large diameter hose: 5" hose = 110 lbs. per 100' lengths; 6" hose = 130 lbs. per 100' lengths
- ▶ Move any large diameter hose that is charged: take the kinks out of LDH or move LDH out of the roadway to prevent it from being run over by vehicles
- ▶ Remove water and air from LDH to facilitate easier repacking
- ▶ Lift large beams used in trench rescue or any other large item that may fit in the "jaws" of the Hose Handler
- ▶ Built-in spanner wrench to connect and disconnect LDH butts: Storz or standard thread
- ▶ Gives firefighters a more ergonomically correct grip on heavy, awkward and difficult-to-handle objects
- ▶ Made of stainless steel and tenzaloid, an aluminum alloy, to ensure long life and no rusting
- ▶ 1 year warranty



Remove water & air from hose



Lift heavy rolled LDH



BE298 Hose Handler with Dewatering Bar \$264.95
 BE299 Truck Mount \$41.95

Low Profile Booster Reel

By being shorter and not requiring as much compartment depth, the Low Profile Booster Reel was designed to take up less space than similar reels in the industry. It easily fits in low profile compartments, or when overhead height is a concern. It was designed to be extremely durable, by utilizing powder coated finishes and stainless steel hardware. In the Akron Brass tradition, it includes standard features such as chain guards, hand crank and tensioner. Solenoid, push button switch, and circuit breaker are also included at no additional charge for added ease of installation. The Low Profile Booster Reel is perfect for brush trucks, skid units, rear compartments of apparatus, or even off road utility vehicles. Most importantly; the Booster Hose Reel carries the standard 5 year warranty!

- ▶ Handles 3/4" and 1" ID booster hose
- ▶ Dimension: 17 1/4" H x 39" W x 15 1/2" D
- ▶ Capacity: up to 250' of 3/4" or 150' of 1" redline
- ▶ Powder coated finish available in red or silver
- ▶ Standard inlet: 90' super swivel with the 1" female NPT threads
- ▶ Standard outlet: 1" male NST threads (1 3/8" x 8 TPI)
- ▶ 1000 PSI pressure rating

BH079 Low Profile Booster Reel \$1,140.95



NEW

DON'T MISS
 More products like this
 App. Equip. (p228 - 256)

Shown with optional
 guide rollers
 assembly and nozzle



BEST SELLER



Spanner Wrenches

A. Darley Spanner Wrench

Lightweight aluminum spanner. Includes belt hook eye, hammer head and gas cock shut-off. Fits couplings from 3/4" to 4". *Ship. wt 1 lb.*

B397	Darley Spanner Wrench	\$13.95
-------------	-----------------------	---------

B. Double End Spanner Wrench

Double end hole type spanner, fits 3/4" and 1" booster hose couplings and 2 1/2" hole type fittings. *Ship. wt 1 lb.*

L800	Double End Spanner Wrench	\$17.95
-------------	---------------------------	---------

C. Folding Spanner Wrench

Zinc Alloy, folding pocket spanner fits couplings from 1" to 4". Length 9". *Ship. wt 1 lb.*

E118	Folding Spanner Wrench	\$9.95
-------------	------------------------	--------

D. Folding Spanner Wrench

Brass folding pocket spanner with pry claw and belt ring fits couplings up to 3 1/2". *Ship. wt 1 lb.*

U810	Folding Spanner Wrench	\$43.95
-------------	------------------------	---------

E. Folding Spanner Wrench/Belt Ring


Ultra-light non-sparking folding spanner with extra wide pry end, and gas shut-off. Fits couplings from 3/4" to 6" *Ship. wt 1 lb.*

AZ357	Folding Spanner Wrench/Belt Ring	\$33.95
--------------	----------------------------------	---------

Super Spanner Wrench

Fits any standard 4" and 5" Storz or locking type Storz coupling on one end; the other end fits 1 1/2" to 3" rocker lug type fire hose couplings. Use the center slot as a gas shutoff. Wrench set includes 4 Super Spanner Wrenches and Mounting Plate. *Ship. wt. 1-7 lbs.*

AR230



AR228	Super Spanner Wrench	\$20.95
AR229	Super Spanner Wrench Set	\$99.95
AR230	Super Spanner Mounting Plate	\$28.95

Premium Quality Spanner Wrench

It's made from aerospace alloy aluminum. This means it's ultra-light and super strong. Plus, because it is non-sparking, it's safe to use in hazardous situations. You'll never go wrong with the best. Compatible with most brackets. Fits up to 3 1/2" couplings, has gas cock shutoff. *Ship. wt. 1 lb.*



AJ281	Premium Quality Spanner Wrench	\$19.95
--------------	--------------------------------	---------

Fire Coupler Lug/Gas Wrench

- ▶ Corrosion-proof, glass-filled nylon
- ▶ Fits 1" - 3" couplings
- ▶ Gas shutoff
- ▶ Quick-snap belt clip
- ▶ Length: 7 1/2"
- ▶ Ship. wt. 1 lb.



Specify color: green, yellow or black

BE271	Fire Coupler Lug/Gas Wrench	\$11.95
--------------	-----------------------------	---------

Storz Spanner Wrenches and Holders

Features lightweight aluminum casting, comfortable grip and gas cock shutoff. Standard Storz Wrench fits 4" - 5" Storz couplings. Storz/Rocker combination wrench fits 1 1/2" - 4" rocker lugs and 4" - 5" Storz. Rocker lug holder holds two wrenches; Storz holder accommodates four wrenches. *Ship. wt. 2 lbs.*

Y319	Storz Spanner Wrench	\$22.95
Y318	Storz/Rocker Combination Wrench	\$22.95
Y320	Storz Wrench Holder	\$67.95
AF147	Rocker Lug Wrench Holder	\$59.95





A. Hydrant Wrenches

T240 - Adjusts to pentagon nuts from 1 1/4" to 1 3/4" or square nuts to 1 1/4". Replaceable brass insert protects hydrant nut. Also fits 2 1/2" to 4 1/2" couplings.

E119 - Malleable iron, cadmium plated hydrant wrench adjusts to pentagon nuts from 1 1/4" to 1 3/4" or square nuts to 1 1/4". Fits couplings from 1 1/2" to 6".

C285 - Zinc plated ductile iron head and 7/8" steel handle. Opening accepts any pentagon nut up to 1 3/4" or 1 1/4" square nut. Fits 2 1/2" pin or rocker lug. *Ship. wt. 5 lbs.*

T240	Hydrant Wrench	\$66.95
E119	Hydrant Wrench	\$27.95
C285	Hydrant Wrench	\$21.95

B. Pentagon Ratchet Hydrant Wrenches

- ▶ Unique bolt-thru design
- ▶ Opens and closes any hydrant in only a 22 1/2" swing
- ▶ Sockets adjust by thumb screw
- ▶ Socket has 9/16" square opening on back side of socket head
- ▶ Length: 21 1/8"
- ▶ *Ship. wt. 7 lbs.*

Specify Pentagon Socket Size: 1 1/2", 1 3/4", 2"

J796	Pentagon Ratchet Hydrant Wrench, 16 1/8"	\$213.95
J797	Pentagon Ratchet Hydrant Wrench, 21 1/8"	\$232.95

C. The Only Hydrant Wrench You'll Ever Need

Invented by a firefighter. There's no adjusting with screws and ratchets that can slip and damage hydrant stems. It will actually turn many stems that are too badly worn for conventional wrenches. Just put the opening in the wrench head over the stem and pull the handle; the harder you pull the tighter the head grips without slipping off. To release just let loose and lift it off the stem. Conveniently placed on the handle is a spanner wrench to handle 2 1/2" couplings and larger. Will work on most square and pentagon stems. *Ship. wt. 4 lbs.*

AM09501	Hydrant Wrench up to 1" Stem	\$83.95
AM09502	Hydrant Wrench up to 1 1/2" Stem	\$83.95

D. Hydrant Wrench Hand Tool

This wrench is stronger than most wrenches that are many times heavier because it's made from aerospace alloy aluminum. This means it's ultra-light (less than 2 lbs.) and super strong, so you can really lean into the wrench. Plus, it's non-sparking, so it's safe to use in hazardous situations. This unique wrench is designed to meet a wide range of firefighter's needs including a built-in gas cock shut-off. Fits nearly all standard hydrant nuts. Spanner feature fits up to 6" hose, including Angus and Storz, pin and rocker lugs. Bright red "Sure Grip" handle provides a durable, non-slip surface that won't get away from you. *Ship. wt. 2 lbs.*

- ▶ Sure-grip handle
- ▶ Ergonomic Design
- ▶ Less Stress
- ▶ Non-Sparking
- ▶ Lightweight
- ▶ Super Strong

AJ282	Hydrant Wrench Hand Tool	\$89.95
--------------	--------------------------	---------

E. Ratch-It™ Hydrant Wrench

The Ratch-It™ Hydrant Wrench is adjustable, simple to use, extra heavy duty, and reversible; the ideal flushing tool. Features simple thumb action pawl. It's heat treated and zinc plated so it won't rust. *Ship. wt. 7 lbs.*

AM097	Ratch-It™ Hydrant Wrench	\$196.95
--------------	--------------------------	----------

F. Wrench Holder Set

Mounts on apparatus for easy accessibility. Convenient, snap action aluminum holder complete with two spanners for any style or size coupling from 1 1/4" to 4". Also includes an adjustable hydrant wrench for pentagon nuts up to 1 3/4" or square nuts to 1 1/4". Hydrant wrench fits 2 1/2" couplings. Ductile iron zinc plated head. Handle is steel zinc plated. *Ship. wt. 9 lbs.*

H711	Holder with Two Wrenches	\$59.95
L780	Holder w/Two Spanner Wrenches and Hydrant Wrench	\$87.95